# Software files and User settings files

There are two groups of files for running Ancestris.

- The **software files** run the application,
- The **user settings files** store user preferences.

You may lose the software files because you can always get them from the Ancestris website;

but you should backup you user settings files as they are specific to you.

## Software files

Ancestris software files will be inside the ancestris folder used during the installation.

You can type whereis ancestris on a terminal to find out what that folder is (not in Windows).

This ancestris folder contains the following sub-folders.

- ancestris
- bin
  - o ancestris : executable file to start Ancestris under MacOS and Linux
  - o ancestris.exe : executable file to start Ancestris under **Windows**
  - ancestris64.exe : executable file to start Ancestris under **Windows** with Java 64-bit architecture (recommended)
  - $\circ \ \ \, [\text{ancestris.gif}]: \text{Ancestris icon to use when creating an application launcher shortcut}]$
  - other Ancestris icons
- etc
  - o ancestris.conf : application configuration file
- harness
- platform

When you reinstall Ancestris, you simply replace those software files.

## User settings files

### The user directory

Ancestris user settings files are in the **user directory**.

You can see the location of the **user directory** on the About dialogue.

This dialogue can be accessed from the main menu / Help / About Ancestris or else by clicking on the About button.

#### Example:

Ancestris version: 11.0.10276

Java: 1.8.0\_251-b08 - /usr/java/jdk1.8.0\_251-amd64/jre

System: Linux - 5.5.17-200.fc31.x86\_64 - frederic

User directory /home/frederic/.ancestris/trunk

This **user directory** depends on your operating system.

• Windows: C:\Users\[your name]\.ancestris\<version>

• MacOS: \${HOME}/Library/Application Support/ancestris/<version>

• Linux : ~/.ancestris/<version>

Where <version> is the installed version number.

• 11 : in this case, the main version 11

trunk : in this case, the daily version 12

## The configuration file and the log file

There are two especially important files in the user's folder for startup and diagnostic of eventual bugs.

- The configuration file: | <user's folder>/etc/ancestris.conf | defines the launch settings.
- **The log file**: <user's folder>/ancestris/ancestris.log stores all warnings and error messages occurring while you use Ancestris.

Here are also located your preferences and customised templates.

```
• Your preferences: <user's folder>/ancestris/config
```

- Your personal **templates** : <user's folder>/ancestris/blueprints
- Your **almanacs**: <user's folder>/ancestris/almanac
- Your **individual and family record** templates : <user's folder>/ancestris/gedart
- Your **history of modifications**: <user's folder>/var/cache/ModificationsHistory

Please check the user guide to learn what these templates are for.

# Detailed description

~/.ancestris/trunk	User directory
• ancestris	User defined templates
o almanac	<ul> <li>Almanacs for the chronology view and for chronology reporting.</li> </ul>
∘ blueprints	<ul> <li>Blueprints available for displaying genealogy information in dynamic tree view, Gedcom editor, etc.</li> </ul>
∘ gedart	<ul> <li>Standard models and user- defined models for the individual and family record / Gedart report.</li> </ul>
∘ ancestris.log	<ul> <li>Ancestris log file.</li> <li>This is the file Ancestris support might need in case you submit an error.</li> <li>You can define the size of the log file in the Preferences.</li> </ul>
• config	User defined preferences
o Modules	<ul> <li>User preferences of installed extensions</li> </ul>
o Preferences	<ul> <li>User preferences of all views and tools except those of the installed extensions</li> </ul>
o Toolbars	Main toolbar settings
。 Windows2Local	o Position of windows
∘ shortcuts.html	∘ Shortcuts
• etc	

∘ ancestris.conf	<ul> <li>Ancestris configuration file         for Launch settings</li> <li>This configuration file         complements the Ancestris         application configuration file         placed in the software files         described above.</li> </ul>
• modules	Installed extensions
<ul><li>update_tracking</li></ul>	Installed extensions update information
• var	
∘ cache	
<ul> <li>ModificationsHistory</li> </ul>	<ul> <li>Modification history         of Gedcom files         opened by Ancestris</li> </ul>
o	<ul> <li>Temporary         <ul> <li>information stored</li> <li>by Ancestris</li> </ul> </li> </ul>
∘ log	o Temporary log files

When you reinstall Ancestris, user settings files are not modified and you should be able to run the updated version with all your previous settings.

However, there could be some changes in the way the new version uses some of the settings.

- If this is the case, we recommend you to <u>only keep</u> the **ancestris**, **config**, **etc** and **ModificationsHistory** folders.
- If you have trouble with the windows, we recommend you to <u>remove</u> the **Windows2Local** folder.

## **Uninstall Ancestris**

To uninstall Ancestris, just delete the 2 folders of the software files and the user settings files.

Revision #2 Created 28 April 2021 12:46:09 by frederic Updated 29 May 2021 19:30:00 by frederic