

# Menú Arrossegar i Deixar anar

El menú **Arrossegar i Deixar anar** es pot utilitzar per copiar entitats a través de genealogies o per combinar entitats dins de la mateixa genealogia.

També es pot utilitzar per construir una relació entre les dues entitats implicades, per fer que sigui molt més ràpid per a vostè per construir la seva genealogia.

Drag-and-Drop Menu	Drag-and-Drop Menu																																																								
<table><tr><th>Imported</th><th>Target</th></tr><tr><td> Bourbon</td><td>Kennedy </td></tr><tr><td colspan="2">I16 - Louis CAPET (1 Nov 1661 - 14 Feb 1711)</td></tr><tr><td colspan="2">I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963) </td></tr><tr><td colspan="2"> Make Louis the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)</td></tr><tr><td colspan="2"> Make Louis the father of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Make Louis the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)</td></tr><tr><td colspan="2"> Make Louis the husband of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Make Louis the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)</td></tr><tr><td colspan="2"> Make Louis the brother of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Make Louis the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)</td></tr><tr><td colspan="2"> Make Louis the son of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Copy individual "Louis" into the Kennedy genealogy without attached entities</td></tr><tr><td colspan="2"> Copy individual "Louis" into the Kennedy genealogy with attached entities</td></tr></table>	Imported	Target	Bourbon	Kennedy	I16 - Louis CAPET (1 Nov 1661 - 14 Feb 1711)		I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963)		Make Louis the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)		Make Louis the father of John Fitzgerald in a new family		Make Louis the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)		Make Louis the husband of John Fitzgerald in a new family		Make Louis the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)		Make Louis the brother of John Fitzgerald in a new family		Make Louis the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)		Make Louis the son of John Fitzgerald in a new family		Copy individual "Louis" into the Kennedy genealogy without attached entities		Copy individual "Louis" into the Kennedy genealogy with attached entities		<table><tr><th>Imported</th><th>Target</th></tr><tr><td> Kennedy</td><td>Kennedy </td></tr><tr><td colspan="2">I105 - Joseph Patrick KENNEDY (6 Sep 1888 - 18 Nov 1969)</td></tr><tr><td colspan="2">I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963) </td></tr><tr><td colspan="2"> Make Joseph Patrick the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)</td></tr><tr><td colspan="2"> Make Joseph Patrick the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)</td></tr><tr><td colspan="2"> Make Joseph Patrick the husband of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Make Joseph Patrick the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)</td></tr><tr><td colspan="2"> Make Joseph Patrick the brother of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Make Joseph Patrick the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)</td></tr><tr><td colspan="2"> Make Joseph Patrick the son of John Fitzgerald in a new family</td></tr><tr><td colspan="2"> Merge individual "Joseph Patrick" into John Fitzgerald adding information only</td></tr><tr><td colspan="2"> Merge individual "Joseph Patrick" into John Fitzgerald overwriting overlaps if any</td></tr><tr><td colspan="2"> Merge individual "Joseph Patrick" into John Fitzgerald with the help of the assistant...</td></tr></table>	Imported	Target	Kennedy	Kennedy	I105 - Joseph Patrick KENNEDY (6 Sep 1888 - 18 Nov 1969)		I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963)		Make Joseph Patrick the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)		Make Joseph Patrick the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)		Make Joseph Patrick the husband of John Fitzgerald in a new family		Make Joseph Patrick the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)		Make Joseph Patrick the brother of John Fitzgerald in a new family		Make Joseph Patrick the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)		Make Joseph Patrick the son of John Fitzgerald in a new family		Merge individual "Joseph Patrick" into John Fitzgerald adding information only		Merge individual "Joseph Patrick" into John Fitzgerald overwriting overlaps if any		Merge individual "Joseph Patrick" into John Fitzgerald with the help of the assistant...	
Imported	Target																																																								
Bourbon	Kennedy																																																								
I16 - Louis CAPET (1 Nov 1661 - 14 Feb 1711)																																																									
I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963)																																																									
Make Louis the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)																																																									
Make Louis the father of John Fitzgerald in a new family																																																									
Make Louis the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)																																																									
Make Louis the husband of John Fitzgerald in a new family																																																									
Make Louis the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)																																																									
Make Louis the brother of John Fitzgerald in a new family																																																									
Make Louis the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)																																																									
Make Louis the son of John Fitzgerald in a new family																																																									
Copy individual "Louis" into the Kennedy genealogy without attached entities																																																									
Copy individual "Louis" into the Kennedy genealogy with attached entities																																																									
Imported	Target																																																								
Kennedy	Kennedy																																																								
I105 - Joseph Patrick KENNEDY (6 Sep 1888 - 18 Nov 1969)																																																									
I104 - John Fitzgerald KENNEDY (29 May 1917 - 22 Nov 1963)																																																									
Make Joseph Patrick the father of John Fitzgerald in family KENNEDY x FITZGERALD (F0)																																																									
Make Joseph Patrick the husband of John Fitzgerald in family KENNEDY x BOUVIER (F8)																																																									
Make Joseph Patrick the husband of John Fitzgerald in a new family																																																									
Make Joseph Patrick the brother of John Fitzgerald in family KENNEDY x FITZGERALD (F0)																																																									
Make Joseph Patrick the brother of John Fitzgerald in a new family																																																									
Make Joseph Patrick the son of John Fitzgerald in family KENNEDY x BOUVIER (F8)																																																									
Make Joseph Patrick the son of John Fitzgerald in a new family																																																									
Merge individual "Joseph Patrick" into John Fitzgerald adding information only																																																									
Merge individual "Joseph Patrick" into John Fitzgerald overwriting overlaps if any																																																									
Merge individual "Joseph Patrick" into John Fitzgerald with the help of the assistant...																																																									
Menú d'Arrossegar i Deixar anar utilitzat en diferents genealogies	Menú d'Arrossegar i Deixar anar utilitzat dins de la mateixa genealogia																																																								

El menú Arrossegar i Deixar anar apareix en deixar anar una entitat prèviament clicada i arrossegada. Primer heu de fer clic a qualsevol entitat i començar a moure-la a un altre lloc, i després heu de deixar-la caure en una zona no prohibida.

A cada ubicació on podeu accedir al **Menú Contextual**, podeu Arrosegat o Deixar anar una entitat.

## Descripció

El menú Arrossegar i Deixar anar té un títol i una llista d'elements d'acció.

El **títol** mostra les dues entitats implicades en el gest Arrossegar i Deixar anar.

L'entitat de la part esquerra és l'entitat a la qual heu fet clic i s'anomena entitat importada.

L'entitat de la part dreta és l'entitat a la qual heu baixat i s'anomena entitat de destinació.

El menú Arrossegar i Deixar anar difereix en funció de si moveu una entitat a través de diferents genealogies o dins de la mateixa genealogia.

- **A través de diferents genealogies**, Ancestris assumeix que voleu copiar entitats
- **Dins de la mateixa genealogia**, Ancestris assumeix que voleu fusionar entitats

Ancestris suggereix altres accions per unir les dues entitats.

Les accions difereixen en funció de la categoria d'entitat.

## Menú d'accions d'Arrossegar i Deixar anar

A continuació es mostra una descripció de totes les accions possibles incloses al menú Arrossegar i Deixar anar.

### Feu que l'individu importat sigui <progenitor | cònjuge | germà | fill> de l'individu objectiu

Quan ambdues entitats són individus, Ancestris ofereix crear una relació entre elles.

Si trieu aquesta acció, Ancestris crearà els enllaços necessaris i no hi haureu de contribuir manualment.

### Adjuntar l'entitat importada a l'entitat de destinació

Quan l'entitat importada no és una persona, Ancestris ofereix adjuntar-la a l'entitat de destinació.

Per exemple, pot ser una NOTA adjunta a una FONT o un OBJECTE multimèdia adjunt a un esdeveniment individual.

En el cas d'un esdeveniment, Ancestris mostra la llista de tots els esdeveniments existents per a aquesta persona. Només s'ha de triar quin vols.

### Copiar l'entitat importada a la genealogia objectiu

Quan les genealogies implicades són diferents, Ancestris suggereix dues maneres possibles de copiar l'entitat importada a la genealogia objectiu:

- Còpia sense les entitats enllaçades
- Còpia amb les entitats enllaçades

Les entitats enllaçades de les persones importades són les persones directament vinculades a aquesta persona (progenitors, cònjuge, fills), així com els seus respectius objectes multimèdia, fonts i notes adjunts.

Per a les entitats no individuals, les entitats adjuntes són els repositoris, els objectes multimèdia i les notes de les fonts, les notes dels objectes multimèdia.

Quan escolliu una còpia amb entitats adjuntes, Ancestris farà totes les còpies pertinents per vosaltres.

## Combina l'entitat importada amb l'entitat de destinació

Quan només hi ha una genealogia, Ancestris suggereix tres maneres possibles de combinar l'entitat importada amb l'entitat objectiu:

- Només s'afegeix informació a l'entitat de destinació i no es modifica la informació que ja podria existir
- Afegeix i sobre escriu informació que ja podria existir
- Mostra l'assistent per permetre't triar, poc a poc, la informació que cal tenir sobre l'entitat objectiu

Aquesta acció només es mostra quan ambdues entitats són de la mateixa categoria, és a dir, dues persones, o dues fonts, o dues notes, etc.

# Accions d'Advertiment i Inhabilitació

## Advertiment

Quan una acció és possible però està subjecta a un desajust, Ancestris afegeix un signe d'advertiment al començament de la descripció de l'acció.

Aquest és el cas d'afegir un cònjuge a una persona que ja en té un. A la pràctica, això és possible, però Ancestris prefereix alertar-te en cas que realment puguis pensar en una altra persona.

Un consell explica la raó per la qual l'acció és arriscada.

## Acció inhabilitada

Quan una acció pot ser possible però no ho és, Ancestris mostra l'acció i la desactiva.

Aquest és el cas, per exemple, quan es pot crear un pare a una persona que ja té un pare.

Un consell explica la raó per la qual no es pot dur a terme l'acció.

Independentment de l'acció realitzada al menú, més endavant es pot desfer.

---

Revision #3

Created 14 July 2021 08:42:36 by frederic

Updated 3 June 2023 14:56:43 by jordi