


See modifications history

This function gives the history of modifications made to a genealogy within Ancestris.



The screenshot shows a window titled 'Kennedy' with a tab labeled 'Kennedy x'. Inside the window is a table titled 'Modifications history'. The table has 7 columns: Date, Entity Modified, Entity Id, Action, Modified Property, Old Value, and New Value. The table contains 34 rows of data, showing a series of modifications to a genealogy file named 'kennedy.ged'.

| Date | Entity Modified | Entity Id | Action | Modified Property | Old Value | New Value |
|------------------|-----------------|-----------|---------|--------------------|-----------------------|-----------------------|
| 12/09/2020 19:06 | HEAD | | created | HEAD:SOUR#0:CO... | | Ancestris Team |
| 12/09/2020 19:06 | HEAD | | created | HEAD:SOUR#0:CO... | | http://www.ancest... |
| 12/09/2020 19:06 | HEAD | | deleted | DEST | ANY | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:DEST#0 | | ANY |
| 12/09/2020 19:06 | HEAD | | deleted | TIME | 18:44:23 | |
| 12/09/2020 19:06 | HEAD | | deleted | DATE | 12 SEP 2020 | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:DATE#0 | | 12 SEP 2020 |
| 12/09/2020 19:06 | HEAD | | created | HEAD:DATE#0:TIM... | | 19:06:58 |
| 12/09/2020 19:06 | HEAD | | updated | HEAD:SUBM#0 | | @B1@ |
| 12/09/2020 19:06 | Submitter | B1 | updated | SUBM:XREF#0 | | |
| 12/09/2020 19:06 | Submitter | B1 | deleted | XREF | | |
| 12/09/2020 19:06 | HEAD | | deleted | SUBM | @B1@ | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:SUBM#0 | | @B1@ |
| 12/09/2020 19:06 | HEAD | | deleted | FILE | kennedy.ged | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:FILE#0 | | kennedy-geneane... |
| 12/09/2020 19:06 | HEAD | | deleted | FORM | LINEAGE-LINKED | |
| 12/09/2020 19:06 | HEAD | | deleted | VERS | 5.5 | |
| 12/09/2020 19:06 | HEAD | | deleted | GEDC | | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:GEDC#0 | | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:GEDC#0:VE... | | 5.5 |
| 12/09/2020 19:06 | HEAD | | created | HEAD:GEDC#0:FO... | | LINEAGE-LINKED |
| 12/09/2020 19:06 | HEAD | | deleted | CHAR | UTF-8 | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:CHAR#0 | | UTF-8 |
| 12/09/2020 19:06 | HEAD | | deleted | LANG | Anglo-Saxon | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:LANG#0 | | Anglo-Saxon |
| 12/09/2020 19:06 | HEAD | | deleted | FORM | City, Zip_Code, Co... | |
| 12/09/2020 19:06 | HEAD | | deleted | PLAC | | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:PLAC#0 | | |
| 12/09/2020 19:06 | HEAD | | created | HEAD:PLAC#0:FOR... | | City, Zip_Code, Co... |
| 12/09/2020 20:49 | Individual | I4 | updated | INDI | | |

Description

If you want to trace precisely what happened in your Gedcom file, modification by modification, this table gives it to you.

In 7 columns, this table gives you the date and time of the modifications, the entity involved, if it is a creation of data, a modification or a deletion. It also gives the modified data, its old value and its new value.

It is possible to reset this history because the number of lines can indeed be important. The information provided is therefore logged since the last reset of this history.

Changes that were rolled back - undo & redo - remain in the history. Their cancellation appears as an additional modification.

Usage

You can sort the table by clicking on the column of your choice. The table can only be sorted on one column at a time.

You can move the columns with the mouse.

You can reset the history with the button at the top right.

As soon as the button is pressed, the data is erased without the possibility of recovering them, unless a backup of the parameters file has been made.

In this case, be aware that the files containing this information are located in the [User directory](#), in the `var/cache/ModificationsHistory`, with one history file per Gedcom file.

Customization

There is no specific customization for this tool.

Revision #1

Created 14 November 2021 14:33:22 by frederic

Updated 3 June 2023 14:56:43 by frederic