
# Aries editor

The **Aries editor** is one of the three main editors of Ancestris.




The philosophy of the Aries editor comes from the need for ergonomy and exhaustiveness.

> The possibility of being able to provide all the information allowed by the **Gedcom standard** .

> In a user-friendly interface with ergonomic windows

The advantage is to be able to do everything, from A to Z, from Alpha to Omega.

> Did you know? Its name comes from the constellation of Aries, the first constellation of the zodiac, crossed by the sun in spring. The horns of Aries, in the shape of spirals, also symbolize the impulse towards life, the eternal restarting or rebirth of life, of light, also corresponding to the beginning of spring in the cycle of seasons.

The possibilities of Aries are numerous and cover 100% of the needs.

The compromise is that adding the same information can be done in several ways and you will have to choose your most efficient mode.

There is something for everyone, and Ancestris users often choose to use two main editors: Aries + Gedcom, or Cygnus + Gedcom. Some prefer to use only the Gedcom editor. Here is a comparison of the 3 editors if you still had to make a choice.

| | Cygnus | Gedcom | Aries |
|---|---|---|---|
| Focus | The individual and his close environment | The Gedcom standard | Completeness of information |
| Ease of use | ++ | +++ | + |
| Ergonomics | +++ | + | +++ |
| Coverage of needs | 80% | 100% | 100% |
| Data Transparency | + | +++ | ++ |
| Efficiency | +++ | + | + |
| Editable Gedcom entities | Many | All | All |
| Compliance with Gedcom standard | 100% | 100% | 100% |

# Description and Usage


The appearance of the Ares Editor depends on the entity category selected.

The following therefore describes the Aries Editor for editing each of the 7 existing entity categories in the Gedcom standard.

For each of these categories, Aries uses editing features such as lists, edit buttons and tabs that are used in the same way. These common editing devices are described only once.

# Aries toolbar

The Aries editor offers a group of buttons in the Toolbar of the main window, for greater efficiency.



The first button is a shortcut to open an Aries editor on the current entity.


The other buttons open an Aries editor to create an entity of each of the corresponding entity.

# Individual Entity

When the selected entity is an individual, the Aries Editor is divided horizontally into two areas: its description at the top, events and relationships at the bottom, with tabs.

## Description of the Individual

The upper area is dedicated to the description of the individual.



## Photo

On the left, you find a placeholder to associate an image with the selected individual.

Click on the image to edit it, or on the blank placeholder to load one.

Right-click on the picture to add one. The photo displayed here will the first one found in the entity.

To change the order of the photo in the entity, use the **Gedcom editor** and move the corresponding property with the mouse. To delete a photo, delete it from the Gedcom editor as well.

Right-clicking under the photo displays the **Context Menu** for that individual.

## Sex

The Sex drop-down menu allows you to enter one of the values Unknown, Male and Female.

## ID number

On the top right corner, you will find the **identification number** of the selected individual, possibly preceded by his/her **Sosa number** if it was generated.


## Padlock

At the top right is also a Padlock button . It marks the entity as confidential if pressed.

## Name Tab

The Name tab contains the following fields:

- **Name type**: leave blank or choose one of the items from the drop-down list.




- **First name**: choose from a list of first names already known in the genealogy.
- **Family name**: choose from a list of names already known in genealogy.
- **Nick name**: type in a nick name for the individual if he/she has one.

The **Display Prefixes and Suffixes** check box displays the following 3 fields you can also fill in:

- Name Prefix
- Family name prefix
- Name Suffix

## Notes Tab

Notes can be added at the individual's name level.

This tab is used in a similar manner throughout the Aries Editor. Apart from this difference in name attachment, you will find its use in the **Notes Tab of an individual**.


## Sources tab

Sources can be added at the level of the individual's name.

This tab is used in a similar manner throughout the Aries Editor. Apart from this difference in name attachment, you will find its use in the **Sources Tab of an event**.

## Other names tab


This is a list to add alternative Firstnames and Lastnames to the selected individual. Here is an example:




Editing other names is done with the **Edit buttons** and brings up a window similar to the whole Name tab already seen above, with three tabs (name, note, sources).

# Events and Relationships with the Individual

The lower area is dedicated to the events of the individual, and to the relationships of this individual with other entities.




# Events tab

This tab allows you to manage a list of events. It is displayed above.

It has a drop down menu and a list of events on the left, and the description of each event on the right with several tabs: Details, Sources, Notes, Gallery.


The separation bar between the two can be moved and its position is remembered from one time to the next.

## List of events

- The **Add Event** drop-down menu offers a choice of events to add to the list underneath
    - The menu lists the most common types of events, both those that can happen only once in a person's life (such as birth or death...) and those that can happen several times (such as occupation, residence or union).
    - If you don't find what you are looking for, choose the **Event** type. It is generic and allows you to add a category of events not provided for in the menu. Next, specify the nature of the event in the Event drop-down menu located on the Details tab below.
- The list of events displays the different events of the individual, but does not display those of his family, which are in the **Family entity**.
    - Clicking on an event selects it and displays its details on the right.

## Details tab

It displays the details of the selected event in the event list.




- The **drop-down menu** at the top appears only for certain types of events, such as Religion, Occupation that justify some additional specificity.
  - It lets you specify the event specificity
  - This information is the value of the event tag itself (see **tags and values**)
  - Examples :
    - for a Religion, it specifies the type of religion: Catholic, Protestant, Jewish, Muslim, etc.
    - for an Occupation, it specifies the occupation: farmer, baker, civil servant, cooper, merchant, etc.
    - for an Event, it specifies the type of event.

- The button **Associate a person to this event** , located at the top right, appears only for individuals. It allows you to add another individual related to the event.
  - Example: for a baptism, this button associates the godfather, the godmother, the priest, the witnesses.
  - This button only allows you to add, not to modify
  - As soon as the association is added, the associated individual is displayed in the selection list of the Associations tab described just below.
- The Padlock button  marks the entity as confidential if pressed.
- **Date** is the date of the selected event, in the **usual format**.
- **Place** is the **place** of the selected event.
  - To the right of the field, the **Edit place** button  associates or searches a place to this event by bringing up the Place Editor. For more details, see the **Place Editor**.
- **Responsible agency** allows you to enter the name of the person responsible for the event.
  - This can be the registrar, the director of an institution, etc.


    - Examples
        - For a French civil status act: the mayor since 1792, the priest before that date
          For an identity card: the mayor
          For a diploma: the headmaster, etc.
- **Event cause** allows you to grasp what caused the event when it is an accidental event, an unforeseen event.
    - Examples: cause of Death, cause of move or immigration, etc.
- **Event descriptor** allows you to enter additional details.
    - Warning notice: this is *not* a note. This field corresponds to the TYPE tag.
- **Age** displays the calculated age of the individual at the date of the event.

## Sources Tab

Sources can be added to the selected event using the Sources Tab.

This tab is used in a similar manner throughout the Aries Editor. It is described here.


It is in the form of a **selection list** with the **Edit buttons**.




Each line corresponds to a source citation. A source citation usually refers to a **shared source** and specifies one of the events, its date and the individual's role in the event.

The 5 columns' values are derived from the source citation information window that appears when you click on the edit buttons.

- **Source Events**: this is the type of event mentioned in the source.
- **Source Description**: This is the name of the referenced Source entity.
- **Page(s)**: The number of the page in the referenced source.
- **Has multimedia object(s)**: "yes" if a media is attached to the source.
- **Has Note(s)**: "yes" if a note is indicated with to the source.





The two buttons at the top right are the **Edit buttons**:

- The **Link button** attaches the Source entity to the event. For example, a birth certificate at a birth
- The **Edit button** edits the Source entity.

> The source needs to be attached at the event level, via these 2 buttons. You can attach for example birth and death certificates, after having previously entered and documented them in **Source Entities**.

The other fields are:

- **Role in event**: this is a free text but roles such as husband, wife, father, mother, wife, child are proposed.
- **Certainty assessment**: qualifies the quality of the information according to the following predefined criteria:




- **Recording date**: date when the vent was recorded, and therefore not necessarily the date of the event of the individual we have been talking about since the beginning.

- **Text from source**: extract of the source text justifying the individual's event.
  - If the text of the source has already been transcribed in the Source entity, it is not worthwhile to put it here.


The **Notes Tab** and **Gallery Tab** of the window modifying the quotation characterize the source quotation. These tabs are used throughout the Aries Editor like the other Notes and Gallery tabs.

Apart from this difference in how they are attached to source citations, you will find their use in the **Notes Tab** and **Gallery Tab** of an individual.

Regarding the photos of the sources (deeds, certificates, etc.), they'd rather be put in the gallery of the source than the gallery of the individual.

## Notes Tab


Notes can be added to an individual's event using the Notes Tab.




This tab is used throughout the Aries editor. Apart from this difference in the attachment to events, you will find its use in the **Notes Tab** of an individual.

## Gallery tab

Media can be added to an individual's event using the Gallery Tab.





> We will put here, at the level of the event, the photos of the individual at the time of these events.

This tab is similarly used throughout the Aries editor. Apart from this difference in the attachment to events, you will find its use in the **Gallery Tab** of an individual.

# Parents and Siblings tab

This tab manages the parents and siblings of the selected individual.





| Identifier | Father | Mother | Date |
|---|---|---|---|
| F0 | KENNEDY, Joseph Patrick | FITZGERALD, Rose Elizabeth | Marriage: 7 Oct 1914 |
| Brother (R3) | Joseph Patrick | KENNEDY | Birth: 25 Jul 1915 |
| R4 | John Fitzgerald | KENNEDY | Birth: 29 May 1917 |
| Sister (R6) | Rosemary (Rose Marie) | KENNEDY | Birth: 20 Feb 1920 |
| Sister (R7) | Kathleen "Kick" | KENNEDY | Birth: 20 Feb 1920 |
| Sister (R8) | Eunice Mary | KENNEDY | Birth: 10 Jul 1921 |
| Sister (R10) | Patricia | KENNEDY | Birth: 6 May 1924 |
| Brother (R12) | Robert Francis | KENNEDY | Birth: 20 Nov 1925 |
| Sister (R13) | Jean Ann | KENNEDY | Birth: 20 Feb 1928 |
| Brother (R14) | Edward Moore | KENNEDY | Birth: 22 Feb 1932 |

This tab is in the form of a **Tree list** with **Edit buttons**. Their principle is the same as described in the corresponding paragraph, namely :

- The button **Add parents to that person** **EditeurAries_Boutons_Edition_Créer.png** allows you to add the father and mother of the selected individual.
  - A new window of the Aries editor opens on a Family entity, where you can specify the parents.
- The **Link to an existing family** button allows you to create a genealogical link between the selected individual and an existing family in the genealogy.
  - A new window is displayed with a list of already registered families.
- The **Edit Selected Family** button edits the family that is selected in the list underneath.  Aries opens a new editor positioned on the family.
- The **Delete Selected Family** button deletes the family that is selected in the list underneath.

# Spouses and children tab

This tab manages the different spouses of the selected individual as well as the children he or she has had with each of them.




This tab is in the form of a **Tree list** with **Edit buttons**. Principles are the same as the tab described above.


## Sources Tab

Sources can be added to the individual directly through a Sources Tab.

This tab is used throughout the Aries Editor. Apart from this difference in the attachment to an individual, you will find its use in the **Sources Tab of an event**.

## Notes Tab

This tab is in the form of a **selection list** with the **Edit buttons**.





The notes created or attached qualify the selected event.

We can see that there can be two types of notes in the list:


- **Notes Entities**, therefore shareable with other entities of the genealogy, identified by an ID number.
- **Specific (embedded) notes**, not shareable, without ID number. See **shared information** for more details.

With the create button **EditeurAries_Boutons_Edition_Créer.png** it is possible to create a shared Note Entity or a note specific to the event (therefore embedded) as indicated by the check mark in the window that appears.




With the edit button  it is possible to modify a note.


In this case, if the References tab is visible and if the window shows an identification number for the note, it is a shared note (window below). Otherwise it is a specific note (similar to the window above).




The References tab is described below.

## Gallery tab

This tab is in the form of a **selection list** with the **Edit buttons**.




The media created or attached qualifies the individual independently of any event.

> We will put here, at the level of the individual, and not at the level of the events, the pictures of this individual that will be displayed in the **Dynamic tree**.

Note here the blue star **EditeurAries_Boutons_Edition_Préférer.png** which allows you to specify the media to be displayed by default in the family tree, in case there are several media to choose from for the individual.

The buttons for creating, linking or editing a media displays the media editing window.

## Aliases Tab

This tab manages the different aliases of the selected individual.

> An alias is a relationship between two individuals who are supposedly distinct a priori but who perhaps designate the same person.


- Their identification numbers are different
- Their names may or may not be identical, indicating that there is a possibility that these two individuals are in fact one and the same person.

When such a possibility exists, the user can create an alias in order to bring the two individuals together, so that the Aliases tab of the first individual will mention the name of the second, while, conversely, this same tab of the second individual will mention the name of the first.

The presence of an alias expresses a simple hypothesis.

- If later it turns out that the two individuals are two distinct physical persons, the alias must naturally be removed.
- If, on the contrary, it is proven that the two individuals are one and the same natural person, the two records must then be merged.

The Alias tab is presented in the form of a **selection list** with the **Edit buttons**.




- The **Add an Alias** button **EditeurAries_Boutons_Edition_Créer.png** associates the selected individual with another individual by means of an alias.

- The **Edit selected alias** button  edits the record of the individual whose alias is selected in the grid below.This command opens a new editor window inviting you to modify the data of the individual.
- The **Delete selected alias** button  allows you to delete the alias selected in the list below.
  - The deletion does not remove the individual itself but the link between the two individuals.
  - An alias is a reciprocal link between two individuals. Consequently, the deletion of an alias from the first individual, induces the automatic deletion of the same alias from the second individual.


## Associations Tab

This tab manages associations between the selected individual and other individuals in the genealogical.

> An association is a link put between two individuals to indicate that one has been involved in one of the other's events. Example: the godfather of a baptism, the witness of a groom.

An association is a separate link from parental relationships or aliases.

The Association tab is in the form of a **selection list** with the **Edit buttons**.




> This list of associations contains the events of people in which the edited individual has been involved and the role of the edited individual in these events.


In the example above, if we assume that the individual referenced being edited is called Jacqueline Bouvier, this means that Jacqueline Bouvier was witness of Caroline Lee's blessing (and not that Caroline Lee was informant of Jacqueline Bouvier's blessing).

The associations listed here have therefore been added:

- Either by using the **Associate a person to this event** button on the **Event Details** tab of the associated person.
  - In the example above, it is therefore by editing the individual Caroline Lee, selecting her blessing event, clicking on the association button, choosing the individual Jacqueline Bouvier and specifying "Informant".

**en-aries-association1.png**

- Either by using the Add Association button in this tab:




As you can see, it's the same window and only the person's name changes. It is therefore the starting point that indicates the meaning of the involvement of an individual in the event of the other.

- Either we start from the event that took place, and we go and look for the individual involved,
- Or we start with the individual involved and point out the event of the other.


---

# Family Entity

When the selected entity is a family, the Aries Editor is divided horizontally into two areas: the description of the couple at the top, and the events and relationships of the family at the bottom, with tabs.

# Description of the couple

The upper area is dedicated to the description of the two individuals of the couple currently selected in Ancestris.




## ID number

Before the couple, at the top right, the family **ID number** is displayed.

## Privacy padlock

There is also a Padlock button . It marks the family as confidential if pressed.

## The couple

The husband is on the left and the wife on the right. For each of them there is a description, which can be modified with the Modify button:

- Photo
- Last and first names
- Date of birth
- Date of death

Depending on whether this description is occupied by an individual or not, the following buttons appear.


## Buttons

- The **Add button** **EditeurAries_Boutons_Edition_Créer.png** creates an individual, male or female, in order to add him/her to the selected family.
  - This button appears only when no individual is in the description .
- The **Link button**  allows you to select the person you are looking for from the list of individuals already registered in the genealogy.

    - This button appears only when no individual is in the description.
- The **Modify button**  modifies the description of the couple's individual. Aries opens the edit window for an individual, as described above.
    - This button only appears when an individual is already in the description.
- The **Delete button**  removes the individual from the family. It does not delete the individual, it simply removes him/her from the family.
    - This button appears only when an individual is already in the description.

# Events and relations with the Family


The lower area is dedicated via tabs to the events of the Family entity, and to the relationships of this family with other entities.




The Events, Sources, Notes and Gallery tabs have been described in the **Individual section**.

## Children Tab


This tab manages the children of the selected family, their respective spouses, as well as the children they have had with each of them.



This tab is in the form of a **Tree list** with the **Edit buttons** and works as described in the corresponding paragraphs.

# Multimedia Entity

When the selected entity is a multimedia entity, the Aries Editor displays the exact name of this object in the Title field and, below it, the Image, Note and References tabs.




The **Note** and **References** tabs are common to all entities. They are described in this page.

# Image Tab

It displays the image associated with the currently selected media.


Clicking on the image or on its location modifies it or loads another one.

The **Please choose an image** window that appears prompts you to choose the file corresponding to the image to be displayed.

# Note Entity

When the selected entity is a Note entity, the Aries editor displays two tabs.

For the purpose of the demonstration, we have created a note entity out of the note property provided in the Kennedy file example.




The **References** tab is common to all entities. It is described below.

# Note text tab


This tab displays the text content of the selected note, for consultation or for modification.

> This tab should not be confused with the common Notes tab present in the other entities. Indeed, the latter is used to list and manage the notes associated with these entities, while the Notes tab of the Notes entity displays the value of the note itself.

# Source Entity

When the selected entity is a source ensity, the Aries Editor displays four fields describing the source and then a few tabs underneath.

The **Notes**, **References** and **Gallery** tabs are common to all entities. They characterize the source but their use is the same as described in the Individual section.




# Description of the Source

- **Author**: this is the name of the author or creator of the source.
- **Title**: this is the most important field in the record, since it is the one used by other entities to refer to it.
  - Consequently, the user is strongly encouraged to fill in this field in a very precise and sufficiently detailed manner, so that the source can be identified without risk of confusion.
- **Abbreviation**: this is the abbreviation of a source, or an organization associated with it.
- **Agency**: is the person or organization responsible for managing that source.

# Source Text Tab


This tab lets you enter or modify the source text as it appears on the original document or physical support.

It is displayed above.

It is by far the most useful information of the source.

# Repository tab

It indicates the **repository** or storage location containing the currently selected source. There can only be one repository.




This tab displays the name of the repository, followed by the **Edit buttons**:


- select the repository with the **Add repository** button **EditeurAries_Boutons_Edition_Créer.png** or **Link existing repository** button
- edit
- delete it

The buttons appear depending on the situation and work as described in the corresponding section.

## Buttons for selecting or modifying the repository

One - and only one - repository must be indicated in order to locate the selected source.

Whether you are creating or modifying a repository, the following window for editing a repository appears. We will see it in the **Repository Entity** section below.




Once the repository is filled in, two tabs, **Call number** and **Notes**, appear underneath.

The **Notes** tab is common to all entities. It characterizes here the attachment of the source to the repository, but its use is the same as the one described in the individual section.

## Call number tab


The **Call number** tab lists the different references and media types used in the repository to specifically identify the source in that repository. Example: call number referenced Ref 192/3-17801 for parish registers in a regional archive building, in electronic format.

For each item in the source, if there are several, indicate the name of the call number and the type of media (audio, card, electronic, card, film, newspaper, book, magazine, manuscript, photo, tombstone, video, etc.).

Use the **Edit buttons** to add, edit or delete a call number / media type line item.


# Recorded Events tabs

This tab lets you describe the list of different events in the selected source.




For each date and location mentioned in the source, it consists listing the types of events that took place on that date at that location.

- The Create Source Event button **EditeurAries_Boutons_Edition_Créer.png** creates a new row. It opens a window that allows you to define events for a given place and date.





  - Check the corresponding events
  - Enter the date of these events
  - Enter the location of these events

- The **Edit Source Event** button  opens the same window for editing the information.

# Publication data tab

This tab allows you to indicate the publication details of the source, at least where and when the source was created.





These indications are made by entering a free text.

For published sources, the city of publication, the name of the advertiser, and the year of publication must be indicated.

For unpublished sources, the date and place of the source must be indicated.

# Submitter Entity

When the selected entity is a submitter entity, the Aries Editor displays the description of the submitter and three tabs underneath.




The first field, Name and First name, indicates the identity of the information submitter.


The three fields below allow you to enter the three preferred languages of this submitter.

The **Gallery** and **Notes** tabs are common to all entities. They characterize the Information Submitter here, but their use is the same as described in the Individual section.

The **Address** tab is used in the same way as the tab for a Repository.

# Repository Entity

When the selected entity is a repository or storage location entity,  the Aries editor displays the following window:




You enter the exact name of this repository in the Name field, and underneath, three tabs Address, Notes and References allow you to complete the description.

The **Notes** tab is common to all entities. It characterizes the repository here, but its use is the same as that described in the Individual section.

# Address tab


It allows you to enter the precise adress of the repository.

It presents the fields of a classic address form (zip code, city, country, etc.). See picture.

You can also enter the Internet details (e-mail address and website) as well as telephone numbers.

# References tab

The References panel is in the form of a **selection list** with three columns.




The table lists all the sources that use this repository.

This References tab is also used in other circumstances, for other entities than for repositories. So more generally, the table is related to a given entity, and it lists all the entities that use that given entity.

- The **Identifier** column, which indicates the ID number of the entity using the given entity

- The **Type** column, which indicates the category of entity

- The **Value** column, which indicates the name of the entity (for example, for an individual entity, it will be the name of the individual).

This tablee is for information only. It cannot be edited or modified.

- Examples :
  - In the image above, the repository being edited is used by Sources S1, named Site Internet Achives.
  - If a record individual I1, contains in his birth certificate a link to a source S2, this entity S2 will display in its References tab a line corresponding to the individual I1.

> When you are about to delete an entity such as a media file, note, source or repository, it is strongly recommended that you first check that the References table of this entity is empty. When this table is not empty, a deletion will generate a broken link of the entities using it to an entity that no longer exists.


---

# Common editing controls

The following controls are used in the Aries Editor in several places.

## Selection list

This list is for consultation and selection of the displayed data.




**Selection**: a simple click on one of the lines selects it.

**Edition** : when the line represents an entity, a double-click opens an aries editor window to edit the entity clicked.

**Sorting**: column headers can be clicked to sort. A new click reverses the sort direction.

**Move column**: the columns can be moved with the mouse by clicking and dragging the column header. The column order is memorized from one time to the next.

# Tree list

This is a list of individuals ordered in an certain way according to the genealogical hierarchy. It has a flap to unfold or fold the branches.

| Identifier | Father | Mother | Date |
|---|---|---|---|
| F0 | KENNEDY, Joseph Patrick | FITZGERALD, Rose Elizabeth | Marriage: 7 Oct 1914 |
| Brother (R3) | Joseph Patrick | KENNEDY | Birth: 25 Jul 1915 |
| R4 | John Fitzgerald | KENNEDY | Birth: 29 May 1917 |
| Sister (R6) | Rosemary (Rose Marie) | KENNEDY | Birth: 20 Feb 1920 |
| Sister (R7) | Kathleen "Kick" | KENNEDY | Birth: 20 Feb 1920 |
| Sister (R8) | Eunice Mary | KENNEDY | Birth: 10 Jul 1921 |
| Sister (R10) | Patricia | KENNEDY | Birth: 6 May 1924 |
| Brother (R12) | Robert Francis | KENNEDY | Birth: 20 Nov 1925 |
| Sister (R13) | Jean Ann | KENNEDY | Birth: 20 Feb 1928 |
| Brother (R14) | Edward Moore | KENNEDY | Birth: 22 Feb 1932 |

This type of list is present for the editions of the Individuals (**Spouses and Children and Parents and Siblings tabs**) and Families (**Children tab**) entities.

**Selection**: a single click selects the line.

**Edition**: when the row represents an entity, a double-click opens an entity edition window.

**Sorting**: This list is not sorted since it would disorganize the tree structure.

**Moving column**: Columns can be moved with the mouse by clicking and dragging the column header. The column order is not memorized from one time to the next.

# Edit Buttons

The Edit buttons allow you to create, link, modify, delete, prefer data. They are used by most categories of entities.



These buttons work in conjunction with the selection list displayed below them. They appear according to the status of the list.

## Add Button **EditeurAries_Boutons_Edition_Créer.png**

The Add button adds an item to the selection list by creating it from scratch.

## Link Button 

The Link button adds an item to the list without creating it, but linking it to the shared entity already existing in the genealogy.

## Edit Button 

The Edit button allows you to modify the indicated item.

## Delete Button 

The Delete button deletes the indicated item.

When the item is an entity, the deletion does not delete the entity itself, but the connection only.

## Favorite button **EditeurAries_Boutons_Edition_Préférer.png**

The Prefer button designates the default media to be used if there are several.

This button is only used for the media of an individual (Gallery tab) and is used to designate which one should be displayed by default in the dynamic tree.

Revision #20
Created 24 May 2020 17:51:51 by frederic
Updated 4 December 2024 10:48:33 by frederic