


Generate ID numbers

This function renumbers the entities of your genealogy by redefining their identification number.



The dialog box is titled "Generate ID numbers" and contains a help icon (question mark in a circle). It has two main sections. The first section, "Generate ID numbers for:", is selected with a radio button and contains several checkboxes: "Individual" (checked), "Multimedia", "Repository", "Submitter", "Family", "Note", "Source", and "All categories". Below these are four input fields labeled "Letter", "Prefix", "Length", and "Suffix". The "Letter" field contains the character "X". The second section, "A specific entity ID number:", is unselected. It contains two input fields: "ID to be changed" with the value "R4" and "New ID number" with the value "I4". To the right of these fields is a button with a left-pointing arrow and the text "KENNEDY, John Fitzgerald (*29 May 1917 +22 Nov 1963)". Below the "New ID number" field is the text "Available ID number". At the bottom right are "OK" and "Cancel" buttons.

Description

The window that appears presents two main choices.

- Mass renumbering for a category or all categories of entities.
- Renumbering on one single entity.

In mass numbering, it is possible to define a numbering format. This will always start with a letter.

In Ancestris, entity numbers always start with a letter.

- **I** for individuals
- **F** for families
- **M** for media
- **N** for notes
- **R** for repositories
- **S** for sources
- **B** for submitters

Then it is possible to define a prefix, then a number of a chosen number of digits, then a suffix.

In the case of the numbering of the entities one by one, you enter the ID of the entity to renumber, and the new ID number.


Usage

The renumbering of the entities sorts the selected entities in alphabetical order of their name and then allocates number "1" to the number of entities, without leaving any number empty, and according to the the formatting provided.

For single entity numbering, use the red arrow button to choose the current entity.

If you indicate an existing ID, Ancestris warns you with a message to the right of the button.

For the new identifier, Ancestris tells you if the chosen identifier is free and is not already allocated to an entity in your genealogy.



The screenshot shows a dialog box titled "Generate ID numbers" with a close button (X) in the top right corner. On the left, there is a circular icon with a question mark. The main content area is divided into two sections by radio buttons.

Generate ID numbers for:

- ☐ Categories of entity
 - ☒ Individual ☐ Multimedia ☐ Repository ☐ Submitter
 - ☐ Family ☐ Note ☐ Source ☐ All categories
- ☐ A specific entity ID number:


Below the radio buttons, there are four input fields labeled "Letter", "Prefix", "Length", and "Suffix". The "Letter" field contains the character "X".

Under the "A specific entity ID number:" section, there are two rows of input fields:

- Row 1: "ID to be changed" with the value "R4", followed by a red arrow button and the text "KENNEDY, John Fitzgerald (*29 May 1917 + 22 Nov 1963)".
- Row 2: "New ID number" with the value "I4", followed by the text "Available ID number".

At the bottom right, there are two buttons: "OK" and "Cancel".

Whether in case of mass or individual renumbering, Ancestris displays the following message when it is completes successfully.



Customization

There is no specific customization for this tool.

Revision #7

Created 14 July 2020 15:31:03 by frederic

Updated 4 December 2024 10:48:33 by frederic