

Datulator

The **Datulator** is a tool to calculate or convert dates.

The screenshot shows the 'Datulator' application window. At the top, there's a title bar with the name 'Datulator' and a close button. Below the title bar is a tab labeled 'Datulator x'. The main interface has a date input field with a calendar icon, showing 'February', a dropdown arrow, '12', and '1800'. Below this is a dropdown menu set to 'Gregorian'. A 'to' label is followed by another dropdown menu set to 'French Republican'. A 'Gap in years' section features a horizontal slider from -100 to 100, with a blue knob at 0 and a label '2 years' on the right. Below that, a 'Gap in months' section has a text input field with '+/-', a value of '1', and the unit 'month'. The 'Result' section displays the converted date: 'From 22 Nivôse An X to 21 Ventôse An X'. At the bottom left, there is a small red circular icon with a white cross.

This tool will make your life easier in your research, in your analysis.

The datulator helps you determine the date of an event from the information in a register, a document, etc.

For example, it is often necessary to switch from the Republican calendar or Julian calendar to the Gregorian calendar, or vice versa.

In the Datulator, you also have a precision range feature.

Description

Calendars

The **Gregorian calendar** is the calendar used in most of the world. Designed at the end of the 16th century by a college of scientists under the direction of Christophorus Clavius to correct the secular drift of the Julian calendar, it bears the name of its instigator, Pope Gregory XIII. The starting point of the common era, the year 1, corresponds to the Anno Domini (Christian era), beginning approximately with the birth of Jesus Christ.

The **Republican calendar**, or French revolutionary calendar, was created during the French Revolution, and was used from 1792 to 1806, as well as briefly during the Paris Commune (1871).

The **Hebrew calendar** is a lunar-solar calendar composed of solar years, lunar months, and seven-day weeks beginning on Sunday and ending on Saturday, the Sabbath day. It takes as its starting point the beginning (Birechit) of Genesis, the first book of the Bible, which corresponds to the year-3761 of the Gregorian calendar.

The **Julian calendar** results from the reform of the Roman calendar introduced by Julius Caesar in 46 BC. It is used in ancient Rome from -45 BC. It remained in use until its replacement by the Gregorian calendar at the end of the 16th century and, in some countries, until the 20th century. It is still used by the Berbers, in the monasteries of Mount Athos and by several National Orthodox Churches, including the Russian and Serbian Orthodox Churches.

The datulator window

The window allows you to enter the date to be converted in the first field.

Two drop-down menus allow you to choose the source date calendar and the converted date calendar.

The result is displayed in the "result" frame.

The slider allows you to enter a year offset to be added to the result.

A number of months can be entered to introduce an uncertainty. The result will then indicate an interval of dates whose duration will be the uncertainty.

Usage

Here are two examples of use.

Example 1 :

We find in our records an individual who died on 12 Floréal An IX at the age of 4 years and we are looking for his date of birth.

We enter 12 / Floréal / IX in the date and we specify the republican calendar, either in the calendar button at the left of the day, or in the first drop-down menu.

By positioning the shift cursor on -4 we will have his date of birth. We can use the left and right keys of the keyboard to make changes of 1 year at a time.

Since our individual may have been born at the beginning or end of a month and the records are not always accurate, we will introduce an uncertainty of ± 1 month.

Our individual was therefore born sometime between April 2, 1797 and June 2, 1797.

The screenshot shows the 'Datulator' application window. The interface includes a title bar with the name 'Datulator' and a close button. Below the title bar is a tab labeled 'Datulator x'. The main area contains several input fields and controls:

- A date input field with a calendar icon, a dropdown menu showing 'Floréal', a text box with '12', and another dropdown menu showing 'IX'.
- A dropdown menu set to 'French Republican'.
- A dropdown menu set to 'Gregorian'.
- A section titled 'Gap in years' with a horizontal slider ranging from -100 to 100. A blue circle is positioned at -4, and a label '-4 years' is shown on the right.
- A section titled 'Gap in months' with a text box containing '+/- 1' and the word 'month'.
- A section titled 'Result' with a large text box displaying 'From 2 April 1797 to 2 June 1797'.
- A small icon in the bottom left corner.

If you ask for the result in republican calendar, just change the output calendar and you should get this:

The screenshot shows the 'Datulator' application window. At the top, there's a title bar 'Datulator' and a tab 'Datulator x'. Below the tab, there's a date input field with a calendar icon, a dropdown menu showing 'Floréal', a text box with '12', and another dropdown menu showing 'IX'. Below this, there are two dropdown menus, both set to 'French Republican'. A 'Gap in years' slider is positioned at 0, with a label '-4 years' on the right. Below the slider, there's a 'Gap in months' section with a text box containing '1' and a label 'month'. The 'Result' section displays the text 'From 13 Germinal An V to 14 Prairial An V'. At the bottom left, there's a small icon of a calendar.

If a result is not inside the Republican calendar and you ask for an output in the Republican calendar, it will not be possible and you will get the result in the Gregorian calendar.

Example 2 :

We find in our records a marriage dated May 1, 1752 with a 20 year old bride ; and we know that the bride died at the age of 61.

We enter 1 / 5 / 1752 in the date of the Gregorian calendar.

We will position the shift cursor on +41 (= 61 - 20).

Since our bride may have been born at the beginning or end of the year and the records are not always accurate, we will introduce an uncertainty of ± 6 months.

Our bride would thus have died between November 1, 1792 and November 1, 1793, this date being in the range of the republican calendar we can easily convert it.

We then specify the republican calendar as the output calendar.

The screenshot shows the 'Datulator' application window. At the top, the title bar says 'Datulator'. Below it is a tab labeled 'Datulator x'. The main interface has a date input field with a calendar icon, showing 'May', a dropdown arrow, '1', and '1752'. Below this is a dropdown menu set to 'Gregorian'. Underneath is the word 'to' followed by another dropdown menu set to 'French Republican'. A section titled 'Gap in years' features a horizontal slider from -100 to 100, with a blue circle at 41 and a label '41 years'. Below that, a section titled 'Gap in months' has a text input field with '+/-', a value of '6', and a dropdown set to 'months'. The 'Result' section displays the text 'From 11 Brumaire An I to 11 Brumaire An II'. At the bottom left is a button with a red and white circular icon.

Other combinations are possible - these are just two examples, the uncertainty can be adjusted according to your experience with the hazards of the readings.

Example 3 :

Which day corresponds to the **12 Floréal Year I** with a manual method?

We use the button at the bottom left that displays the concordance between the Republican calendar and the Gregorian calendar.

Sorry it is only available in French.

We look at the column "12", the line "Floréal" and we find "May 1st".

The **Year I** according to the first line would be 1792-1793. As May 1st in the table is after December 31st, we are in 1793.

The correspondence is therefore **May 1st, 1793**.

We can do the correspondence in the other direction.

datulette_calendrier_républicain.png

Here is a translation of the months:

Vendémiaire	Vintage	September
Brumaire	Mist	October
Frimaire	Frost	November
Nivôse	Snow	December
Pluviôse	Rain	January
Ventôse	Wind	February
Germinal	Seed	March
Floréal	Blossom	April
Prairial	Meadow	May
Messidor	Harvest	June
Thermidor	Heat	July
Fructidor	Fruits	August