


# GEDCOM Explorer

The **GEDCOM Explorer** is a special Ancestris window dedicated to the exploration of each open genealogy Gedcom file.

Several Gedcom files can be open at the same time.

A modification time filter can be applied to limit the exploration.



## Description

## Window

This window appears in the upper left corner of Ancestris, in the form of a **concealed window** with a vertical button.

It is always present and always available, even if it can be temporarily hidden.

The GEDCOM Explorer displays a summary of the different entities included in the Gedcom files currently open in Ancestris. If no genealogy file is open, it only displays a blank page.

Each file opened in Ancestris is presented as a three-level tree structure.

- First level: the name of the genealogy file
- Second level: the name of one of the seven **categories of entities**, and the header, followed in brackets by the number of entities.
- Third level: the name of the entities


The tree structure is similar to that found in most file managers.

- For better reading, the different lines are indented according to their level in the hierarchy
- To limit the use of the vertical scrollbar, a flap allows you to show or hide the content of the lower level by clicking on it.

In the example above, we see the GEDCOM Explorer with two open Genealogies, those of Kennedy and the Bourbons. We see for example that there are 208 individuals in the Kennedy genealogy, and 303 in the Bourbon genealogy.

## Menu bar

A menu bar includes a **Filter selector** and a **Configure View** button.




## Filter selector

The filter selector offers the choice to either see All entities, or only the entities modified since a certain date.


In the image below, only the entities modified since Monday 15 January 2024 20:02 are listed.

For instance, compared to the "All entities" view above in this page, only 94 individuals out of 208 appear, and only 3 families out of 75.



## Configure View button

This button displays the following settings window.



From this window, you can easily set a date and time you need to filter the list of entities.

## Usage

The GEDCOM Explorer has multiple purposes.

- It helps you **count all the entities** included in the genealogy files currently open in Ancestris.
- It helps you **select any entity** in any open genealogy by double-clicking on it.
- It helps you **count and select the most recently modified entities** using the filter described above.

It also provides a direct access to some actions **with the context menu**.

## Double-click

A double-click on a line with a flap **unfolds or folds** the lines underneath.


A double-click on an entity **selects the entity** and makes it the **selected entity**.

## Context menu

You can display the context menu by clicking on a line of the tree structure.

This context menu depends on whether you click on a Gedcom level, a category of entity level, or an entity level.

**A right click on a Gedcom level** opens a Gedcom context menu where you can perform a number of actions that are specifically relevant to the Gedcom file selected.



**A right-click on a category of entity** does nothing.

**A right-click on an entity** level opens the **Context Menu**. From there, you can achieve many actions like creating other entities, editing them, using tools and reports, etc.

## Selection of a Gedcom line

When a Gedcom line is selected, it is used by Ancestris to choose which Gedcom file to use by default in the case where a "non Gedcom specific" window is selected, such as the Welcome view, the Compare Gedcom view, the Calculator, the Datulator.

## Possible configurations of the window

### Concealed

The concealed position is the default position of the GEDCOM Explorer when Ancestris is opened.

In this form, the tab remains at the top of the left edge of the main window and the panel is usually hidden.

To show the GEDCOM Explorer pane.

- either, hover (for a few fractions of a second) over its tab with the mouse
- or, more radically, click on this button
- or access it from the main **menu / Window / GEDCOM Explorer**

To hide the GEDCOM Explorer pane again.

- either, hover with the mouse (for a few fractions of a second) over any part of the screen outside this frame
- or, more radically, click again on the button

When the panel is displayed, GEDCOM Explorer can take the form of an anchored panel by clicking on the anchor pin, located at the top right of the open pane.

## Anchored

The panel anchored to the main window is a non-overlapping pane: GEDCOM Explorer is therefore always visible, as long as the main window remains in the foreground.

From this anchored frame pane, GEDCOM Explorer can take the following forms.

- A open panel in a secondary window, using the **Undock** command of the pop-up menu managing the panel and window control, opened by right-clicking on the panel tab.
- A concealed panel
  - either by using the Reduce window group button located at the top right of this anchored frame. It returns to the initial state in the form of an open concealed panel
  - or by means of the menu command main **menu / Window / GEDCOM Explorer**. It returns to the initial state in the form of an open concealed panel

## Panel in secondary window

The Gedcom explorer can be put in a floating window, or freed, via the actions of the window menu.

In this case, the Gedcom Explorer is autonomous from the main window from which it has been detached.

From this freed window, the Gedcom Explorer can take the following forms.

- A docked panel, using the Dock command in the context menu

- A concealed panel, via the main **menu / Window / GEDCOM Explorer** . It returns to the initial state in the form of an open concealed panel

# Personalisation

The settings of this window can be accessed via the Configure View button of the Menu bar.

---

Revision #13

Created 24 May 2020 17:56:24 by frederic

Updated 15 April 2024 18:43:39 by frederic