

Validate Gedcom compliance and data consistency

This tool checks your genealogy data for anomalies, in terms of incompatibility with the **Gedcom standard** and in case of **genealogical inconsistencies**.

Documents

Documents x

Table of contents

[Minimum age to have a child for a woman \(2\)](#)
[Minimum age to have a child for a man \(2\)](#)
[Minimum age difference between siblings \(2\)](#)

Validation of data and Gedcom format (6)

Minimum age to have a child for a woman

R79 MURPHY, Margaret (°bef 1858 +) MURPHY, Margaret (°bef 1858 +) (R79) was 0 years old at the birth of KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) (R80), less than 10 years old, minimum age for mother

R80 KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) MURPHY, Margaret (°bef 1858 +) (R79) was 0 years old at the birth of KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) (R80), less than 10 years old, minimum age for mother

Minimum age to have a child for a man

R78 KANE, Philip (°bef 1858 +) KANE, Philip (°bef 1858 +) (R78) was 0 years old at the birth of KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) (R80), less than 14 years old, minimum age for father

R80 KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) KANE, Philip (°bef 1858 +) (R78) was 0 years old at the birth of KANE, Lawrence M. (°29 Nov 1858 +19 Jul 1905) (R80), less than 14 years old, minimum age for father

Minimum age difference between siblings

R59 KENNEDY, Matthew Rauch (°4 Oct 1980 +) KENNEDY, Matthew Rauch (°4 Oct 1980 +) (R59) and KENNEDY III, Joseph Patrick (°4 Feb 1980 +) (R60) are 8 months apart, which is less than 10, minimum age difference in month between sibling

R60 KENNEDY III, Joseph Patrick (°4 Feb 1980 +) KENNEDY III, Joseph Patrick (°4 Feb 1980 +) (R60) and KENNEDY, Matthew Rauch (°4 Oct 1980 +) (R59) are 8 months apart, which is less than 10, minimum age difference in month between sibling

Description

The window displays a control report.

A table of contents lists the different types of controls performed, for which at least one anomaly has been detected, and the number of corresponding entities is in brackets.

Then the sections follow. In each section, you have the list of entities in anomaly.

Each entity number can be clicked. It selects the entity in the Ancestris views so you can see the details.

Usage

This tool covers two major needs.

- a need for transmission and durability of your genealogy, since it enables you to respect the Gedcom standard as closely as possible
- a need to control the data that has been entered

Depending on the size of your genealogy file, a progress bar appears to perform the whole analysis.

The report is then displayed.

Click on the entity numbers to display them in the editors and correct any anomalies.

After correcting several anomalies, you can restart a new report that will present the remaining anomalies.

You can also change the thresholds for triggering anomalies using the preference settings described below.

You can ignore an anomaly for a given tag using with a `_VALID` tag placed under the tag that generates the anomaly.


- For instance, if twins are born on different days and you want to avoid the anomaly and confirm this is correct, just add the `_VALID` tag underneath the `FAM:CHIL` of both twins.
- Also, to confirm a couple with too many years apart, add `_VALID` underneath the `FAM:HUSB` and `FAM:WIFE` tags.
- You may want to add a `NOTE` as well to explicit your confirmation.

To ignore anomalies with `_VALID`, you have to check the corresponding preferences (see next paragraph)

Customization

The controls to be performed are linked to the Preferences settings, Extensions pane, Validation tab.

They are pretty much self explanatory so we will not provide more details at this stage.



Revision #14

Created 24 May 2020 17:54:29 by frederic

Updated 9 May 2025 06:57:10 by zurga